


光纤尾线

光纤尾线是指仅在900μm单芯紧套光缆的一端端接连接器的光缆组件。

可根据客户指定的长度和纤芯定制，适用于所有连接器选项，包括FC、SC、ST、LC和E2000。

提供单独包装的光纤尾线选项和12色光纤尾线套件。



主要特点

- ▶ 适用于各种光纤网络
- ▶ 900μm单芯紧套光缆，利用指定类型的连接器进行端接
- ▶ 组件经工厂测试，具有可追溯测试数据
- ▶ 可节省现场安装的时间和成本
- ▶ 具有卓越的光学性能
- ▶ 参照Telcordia GR-326-CORE标准

规格

光缆结构	单芯光纤尾线
光缆类型	900μm紧套光缆
涂护层颜色选项	黄色 - 单模 (OS1/2) 橙色 - 多模 (OM1和OM2) 水蓝色 - 多模 (OM3和OM4)
连接器类型选项	FC/SC/ST/LC/E2000
端面研磨选项	APC/UPC/PC
纤芯选项	单模 (OS1/2) 多模 (OM1、OM2、OM3和OM4)
护套材料选项	Riser (OFNR) 低烟无卤 (LSZH)

单芯光纤尾线

FC光纤尾线

连接器类型	纤芯	端面研磨	产品编号 ⁽¹⁾	
			Riser (OFNR)	低烟无卤 (LSZH)
FC	OS1/2	APC	PTS1AS1AR-xxxM	PTS1AS1AL-xxxM
FC	OS1/2	UPC	PTS1US1AR-xxxM	PTS1US1AL-xxxM
FC	OM1	PC	PTS1PM1AR-xxxM	PTS1PM1AL-xxxM
FC	OM2	PC	PTS1PM2AR-xxxM	PTS1PM2AL-xxxM
FC	OM3	PC	PTS1PM3AR-xxxM	PTS1PM3AL-xxxM
FC	OM4	PC	PTS1PM4AR-xxxM	PTS1PM4AL-xxxM

(1) “xxx”即指光缆长度 (m)，请填写需要的长度 (3位数)

预端接光纤布线

光纤尾线

单芯光纤尾线

SC光纤尾线			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
SC	OS1/2	APC	PTS2AS1AR-xxxM	PTS2AS1AL-xxxM
SC	OS1/2	UPC	PTS2US1AR-xxxM	PTS2US1AL-xxxM
SC	OM1	PC	PTS2PM1AR-xxxM	PTS2PM1AL-xxxM
SC	OM2	PC	PTS2PM2AR-xxxM	PTS2PM2AL-xxxM
SC	OM3	PC	PTS2PM3AR-xxxM	PTS2PM3AL-xxxM
SC	OM4	PC	PTS2PM4AR-xxxM	PTS2PM4AL-xxxM

(1) “xxx”即指光缆长度 (m)，请填写需要的长度 (3位数)

ST光纤尾线			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
ST	OS1/2	APC	PTS3AS1AR-xxxM	PTS3AS1AL-xxxM
ST	OS1/2	UPC	PTS3US1AR-xxxM	PTS3US1AL-xxxM
ST	OM1	PC	PTS3PM1AR-xxxM	PTS3PM1AL-xxxM
ST	OM2	PC	PTS3PM2AR-xxxM	PTS3PM2AL-xxxM
ST	OM3	PC	PTS3PM3AR-xxxM	PTS3PM3AL-xxxM
ST	OM4	PC	PTS3PM4AR-xxxM	PTS3PM4AL-xxxM

(1) “xxx”即指光缆长度 (m)，请填写需要的长度 (3位数)

LC光纤尾线			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
LC	OS1/2	APC	PTS4AS1AR-xxxM	PTS4AS1AL-xxxM
LC	OS1/2	UPC	PTS4US1AR-xxxM	PTS4US1AL-xxxM
LC	OM1	PC	PTS4PM1AR-xxxM	PTS4PM1AL-xxxM
LC	OM2	PC	PTS4PM2AR-xxxM	PTS4PM2AL-xxxM
LC	OM3	PC	PTS4PM3AR-xxxM	PTS4PM3AL-xxxM
LC	OM4	PC	PTS4PM4AR-xxxM	PTS4PM4AL-xxxM

(1) “xxx”即指光缆长度 (m)，请填写需要的长度 (3位数)

E2000光纤尾线			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
E2000	OS1/2	APC	PTS5AS1AR-xxxM	PTS5AS1AL-xxxM
E2000	OS1/2	UPC	PTS5US1AR-xxxM	PTS5US1AL-xxxM
E2000	OM1	PC	PTS5PM1AR-xxxM	PTS5PM1AL-xxxM
E2000	OM2	PC	PTS5PM2AR-xxxM	PTS5PM2AL-xxxM
E2000	OM3	PC	PTS5PM3AR-xxxM	PTS5PM3AL-xxxM
E2000	OM4	PC	PTS5PM4AR-xxxM	PTS5PM4AL-xxxM


(1) “xxx”即指光缆长度 (m)，请填写需要的长度 (3位数)

光纤尾线

12色光纤尾线套件

每套12色光纤尾线套件包装中均包含12根带12色紧套光缆的光纤尾线，每根光纤尾线的一端端接指定连接器。

12色光纤尾线套件遵照TIA/EIA-598颜色编码，可帮助用户提高熔接效率。



FC光纤尾线套件

物项描述			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
FC	OS1/2	APC	PTT1AS1AR-xxxM	PTT1AS1AL-xxxM
FC	OS1/2	UPC	PTT1US1AR-xxxM	PTT1US1AL-xxxM
FC	OM1	PC	PTT1PM1AR-xxxM	PTT1PM1AL-xxxM
FC	OM2	PC	PTT1PM2AR-xxxM	PTT1PM2AL-xxxM
FC	OM3	PC	PTT1PM3AR-xxxM	PTT1PM3AL-xxxM
FC	OM4	PC	PTT1PM4AR-xxxM	PTT1PM4AL-xxxM

(1) "xxx"即指光缆长度 (m)，请填写需要的长度 (3位数)

SC光纤尾线套件

物项描述			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
SC	OS1/2	APC	PTT2AS1AR-xxxM	PTT2AS1AL-xxxM
SC	OS1/2	UPC	PTT2US1AR-xxxM	PTT2US1AL-xxxM
SC	OM1	PC	PTT2PM1AR-xxxM	PTT2PM1AL-xxxM
SC	OM2	PC	PTT2PM2AR-xxxM	PTT2PM2AL-xxxM
SC	OM3	PC	PTT2PM3AR-xxxM	PTT2PM3AL-xxxM
SC	OM4	PC	PTT2PM4AR-xxxM	PTT2PM4AL-xxxM

(1) "xxx"即指光缆长度 (m)，请填写需要的长度 (3位数)

预端接光纤布线

光纤尾线

■ 12色光纤尾线套件

ST光纤尾线套件			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
ST	OS1/2	APC	PTT3AS1AR-xxxM	PTT3AS1AL-xxxM
ST	OS1/2	UPC	PTT3US1AR-xxxM	PTT3US1AL-xxxM
ST	OM1	PC	PTT3PM1AR-xxxM	PTT3PM1AL-xxxM
ST	OM2	PC	PTT3PM2AR-xxxM	PTT3PM2AL-xxxM
ST	OM3	PC	PTT3PM3AR-xxxM	PTT3PM3AL-xxxM
ST	OM4	PC	PTT3PM4AR-xxxM	PTT3PM4AL-xxxM

(1) "xxx"即指光缆长度 (m)，请填写需要的长度 (3位数)

LC光纤尾线套件			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
LC	OS1/2	APC	PTT4AS1AR-xxxM	PTT4AS1AL-xxxM
LC	OS1/2	UPC	PTT4US1AR-xxxM	PTT4US1AL-xxxM
LC	OM1	PC	PTT4PM1AR-xxxM	PTT4PM1AL-xxxM
LC	OM2	PC	PTT4PM2AR-xxxM	PTT4PM2AL-xxxM
LC	OM3	PC	PTT4PM3AR-xxxM	PTT4PM3AL-xxxM
LC	OM4	PC	PTT4PM4AR-xxxM	PTT4PM4AL-xxxM

(1) "xxx"即指光缆长度 (m)，请填写需要的长度 (3位数)

E2000光纤尾线套件			产品编号 ⁽¹⁾	
连接器类型	纤芯	端面研磨	Riser (OFNR)	低烟无卤 (LSZH)
E2000	OS1/2	APC	PTT5AS1AR-xxxM	PTT5AS1AL-xxxM
E2000	OS1/2	UPC	PTT5US1AR-xxxM	PTT5US1AL-xxxM
E2000	OM1	PC	PTT5PM1AR-xxxM	PTT5PM1AL-xxxM
E2000	OM2	PC	PTT5PM2AR-xxxM	PTT5PM2AL-xxxM
E2000	OM3	PC	PTT5PM3AR-xxxM	PTT5PM3AL-xxxM
E2000	OM4	PC	PTT5PM4AR-xxxM	PTT5PM4AL-xxxM

(1) "xxx"即指光缆长度 (m)，请填写需要的长度 (3位数)